SAFETY DATA SHEET

Date of issue/Date of revision

: 6 May 2021

Version : 3.14



SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Product name

: LEYLAND TRADE Hardwearing Matt

Product code

: 17001DUT051

Other means of identification

00306668; 00306670; 00306671; 00306672; 00307871; 00307872; 00308765; 00389416; 00389417; 00389418; 00389419; 00389420; 00423228; 00423229; 00423238

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use	: Consumer applications, Professional applications, Used by spraying, Application by non spray methods
Use of the substance/ mixture	: Coating.

1.3 Details of the supplier of the safety data sheet

PPG Architectural Coatings UK Ltd, Huddersfield Road, Birstall, West Yorkshire WF17 9XA, Tel: +44 (0) 1924 354000 PPG Europe BV, Oceanenweg 2, 1047 BB Amsterdam, Netherlands. Tel: +31 (0) 204 075 050

e-mail address of person	: ps.acemea-north@ppg.com
responsible for this SDS	

National contact

PPG Architectural Coatings UK Ltd, Huddersfield Road, Birstall, West Yorkshire WF17 9XA, Tel: +44 (0) 1924 354000

1.4 Emergency telephone number

Supplier

+44 (0) 1924 354000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition: MixtureClassification according to Regulation (EC) No. 1272/2008 [CLP/GHS]Not classified.

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Signal word	: No signal word.
Hazard statements	: No known significant effects or critical hazards.

This Safety Data Sheet is prepared voluntarily: it is not required according to Article 31 of Regulation (EC)) No
1907/2006.	

Code : 17001DUT051	Date of issue/Date of revision : 6 May 2021
LEYLAND TRADE Hardweari	
SECTION 2: Hazards	identification
Precautionary statements	
General	: Keep out of reach of children. If medical advice is needed, have product container or label at hand.
Prevention	: Not applicable.
Response	: Not applicable.
Storage	: Not applicable.
Disposal	: Not applicable.
	P102, P101
Hazardous ingredients	: Not applicable.
Supplemental label elements	: Contains 1,2-benzisothiazol-3(2H)-one, octhilinone (ISO) and 2-methylisothiazol-3(2H)- one. May produce an allergic reaction. Safety data sheet available on request.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Not applicable.
Special packaging requirem	<u>ients</u>
Containers to be fitted with child-resistant fastenings	: Not applicable.
Tactile warning of danger	: Not applicable.
2.3 Other hazards	
Product meets the criteria for PBT or vPvB	: This mixture does not contain any substances that are assessed to be a PBT or a vPvB
Other hazards which do not result in classification	: None known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

: Mixture

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

SECTION 4: First aid measures

English (GB)	United Kingdom (UK) 2/11			
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.			
Ingestion : If swallowed, seek medical advice immediately and show the container or label. person warm and at rest. Do NOT induce vomiting.				
Skin contact	: Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.			
Inhalation	: Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.			
Eye contact	: Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyeli apart for at least 10 minutes and seek immediate medical advice.			
4.1 Description of first aid measures				

LEYLAND TRADE Hardwearing Matt			
Code : 17001DUT051	Date of issue/Date of revision	: 6 May 2021	

SECTION 4: First aid measures

4.2 Most important symptoms and effects, both acute and delayed					
Potential acute healt	Potential acute health effects				
Eye contact	: No known significant effects or critical hazards.				
Inhalation	: No known significant effects or critical hazards.				
Skin contact	: No known significant effects or critical hazards.				
Ingestion	: No known significant effects or critical hazards.				
Over-exposure signs	s/symptoms				
Eye contact	: No specific data.				
Inhalation	: No specific data.				
Skin contact	: No specific data.				
Ingestion	: No specific data.				
4.3 Indication of any immediate medical attention and special treatment needed					
Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.				

Specific treatments : No specific treatment. SECTION 5: Firefighting measures

5.1 Extinguishing media			
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.		
Unsuitable extinguishing media	: None known.		
5.2 Special hazards arising f	rom the substance or mixture		
Hazards from the substance or mixture	: In a fire or if heated, a pressure increase will occur and the container may burst.		
Hazardous combustion products	: Decomposition products may include the following materials: carbon oxides metal oxide/oxides		
5.3 Advice for firefighters			
Special precautions for fire-fighters	 Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. 		
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.		

Code: 17001DUT051Date of issue/Date of revision: 6 May 2021LEYLAND TRADE Hardwearing Matt

SECTION 6: Accidental release measures

6.1 Personal precautions, pro	ote	ctive equipment and emergency procedures
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and material for	со	ntainment and cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.
6.4 Reference to other sections	:	See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures Advice on general occupational hygiene	 Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
7.2 Conditions for safe storage, including any incompatibilities	: Store between the following temperatures: 5 to 25°C (41 to 77°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)

See Section 1.2 for Identified uses.

Code	: 17001DUT051	Date of issue/Date of revision	: 6 May 2021

LEYLAND TRADE Hardwearing Matt

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

8.1 Control parameters

Occupational exposure limits

No exposure limit value known.

Recommended monitoring procedures If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs

DNELs - Not available.

PNECs

PNECs - Not available.

8.2 Exposure controls	
Appropriate engineering controls	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Individual protection meas	res
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety glasses with side shields. Use eye protection according to EN 166.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Gloves	: For prolonged or repeated handling, use the following type of gloves:
	Recommended: Viton®
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Code: 17001DUT051Date of issue/Date of revision: 6 May 2021LEYLAND TRADE Hardwearing Matt				
SECTION 8: Exposu	re controls/personal protection			
Respiratory protection	: Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Wear a respirator conforming to EN140. Filter type: organic vapour (Type A) and particulate filter P3			
Environmental exposure controls	 Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some 			

will be necessary to reduce emissions to acceptable levels.

cases, fume scrubbers, filters or engineering modifications to the process equipment

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

Appearance									
Physical state	:	Liquid.							
Colour	:	Various							
Odour	:	Faint odour.							
Odour threshold	:	Not available.							
рН	:	8							
Melting point/freezing point	:	May start to solidify a for the following ingre							
Initial boiling point and boiling range	:	>37.78°C							
Flash point	:	Closed cup: Not appl	icable. [P	roduct de	oes not	t sustair	n comb	ustion.]	
Evaporation rate	:	Not available.							
Flammability (solid, gas)	:	liquid							
Upper/lower flammability or explosive limits	:	Not applicable.							
Vapour pressure	:		Vapou	Ir Press	ure at 2	20°C	Vap	apour pressure at 50°C	
		Ingredient name	mm Hg	kPa	Meth	od	mm Hg	kPa	Method
		water	23.8	3.2					
Vapour density	:	Highest known value 2,2,4-trimethylpentan	· ·	, ,	obutyric	c acid, r	nonoes	ster with	
Relative density	:	1.4							
Solubility(ies)	:	Partially soluble in the	e followin	g materia	als: colo	d water.			
Partition coefficient: n-octanol/ water	: Not applicable.								
Auto-ignition temperature	:	Ingredient name		°C		°F		Method	
		isobutyric acid, monoeste 2,2,4-trimethylpentane-1,3		393		739.4			
Decomposition temperature	:	Stable under recomm	nended s	orage ar	nd hand	dling co	ndition	s (see Sec	tion 7).
Viscosity	:	Kinematic (40°C): >0	.21 cm²/s						
Explosive properties	:	Not available.							
English (GB)		United	l Kingdo	m (UK)					6/11

Code : 17001DUT051	Date of issue/Date of revision	: 6 May 2021	
LEYLAND TRADE Hardwearing Matt			

SECTION 9: Physical and chemical properties

Oxidising properties

: Product does not present an oxidizing hazard.

9.2 Other information

No additional information.

SECTION 10: Stabilit	SECTION 10: Stability and reactivity			
10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.			
10.2 Chemical stability	: The product is stable.			
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.			
10.4 Conditions to avoid	: When exposed to high temperatures may produce hazardous decomposition products. Refer to protective measures listed in sections 7 and 8.			
10.5 Incompatible materials	: Keep away from the following materials to prevent strong exothermic reactions: oxidising agents, strong alkalis, strong acids.			
10.6 Hazardous decomposition products	: Depending on conditions, decomposition products may include the following materials: carbon oxides metal oxide/oxides			

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Conclusion/Summary

: There are no data available on the mixture itself.

Acute toxicity estimates

	Route	ATE value
Not available.		
Irritation/Corrosion		-
Conclusion/Summary		
Skin	: There are no data available on the m	ixture itself.
Eyes	: There are no data available on the m	ixture itself.
Respiratory	: There are no data available on the m	ixture itself.
Sensitisation		
Conclusion/Summary		
Skin	: There are no data available on the n	nixture itself.
Respiratory	: There are no data available on the n	nixture itself.
Mutagenicity		
Conclusion/Summary	: There are no data available on the m	nixture itself.
Carcinogenicity		
Conclusion/Summary	: There are no data available on the n	nixture itself.
Reproductive toxicity		
Conclusion/Summary	: There are no data available on the n	nixture itself.
Teratogenicity		
English (GB)	United Kinadom	(UK) 7/11

English (GB)

This Safety I 1907/2006.	Data Sheet is prepared v	voluntarily: it is not required according to Article 31	of Regulation (EC) No
Code	: 17001DUT051	Date of issue/Date of revision	:6 May 2021

LEYLAND TRADE Hardwea	
SECTION 11: Toxico	ological information
Conclusion/Summary Specific target organ toxic Not available.	: There are no data available on the mixture itself.

Code	: 17001DUT051	Date of issue/Date of revision	: 6 May 2021
LEYLAND TRADE Hardwearing Matt			

SECTION 12: Ecological information

12.1 Toxicity

Conclusion/Summary : There are no data available on the mixture itself.

12.2 Persistence and degradability

Conclusion/Summary : There are no data available on the mixture itself.

12.3 Bioaccumulative potential

Not available.

12.4 Mobility in soil	
Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.

European waste catalogue (EWC)

Waste code	Waste designation
08 01 12	waste paint and varnish other than those mentioned in 08 01 11

Packaging

Methods of disposal

: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Type of packaging	European waste catalogue (EWC)		European waste catalogue (EWC)	
Container Container	15 01 02plastic packaging15 01 04metallic packaging			
Special precautions	 This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. 			
English (GB)		United Kinadom (UK)	9/11	

Code	: 17001DUT051	Date of issue/Date of revision	: 6 May 2021	
	TRADE Hardwearing Matt			

14. Transport information

	ADR/RID	ADN	IMDG	ΙΑΤΑ
14.1 UN number	Not regulated.	9006	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	-	-
14.3 Transport hazard class(es)	-	9	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	Yes.	No.	No.
Marine pollutant substances	Not applicable.	Not applicable.	Not applicable.	Not applicable.

Additional information

ADR/RID	: None identified.		
ADN	: The product is only regulated as a dangerous good when transported in tank vessels.		
IMDG	: None identified.		
ΙΑΤΑ	: None identified.		
14.6 Special p user	Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.		

14.7 Transport in bulk	: Not applicable.
according to IMO	
instruments	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>EU Regulation (EC) No. 1907/2006 (REACH)</u>

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions : Not applicable.

```
on the manufacture, placing on the market
```

and use of certain dangerous substances, mixtures and articles

Ozone depleting substances (1005/2009/EU)

Not listed.

Code	: 17001DUT051	Date of issue/Date of revision	: 6 May 2021	
LEYLAN	D TRADE Hardwearing Matt			

SECTION 15: Regulatory information

VOC for Ready-for-Use	: IIA/a. Interior matt walls and ceilings (Gloss <25@60°). EU limit values: 30g/l (2010.)
Mixture	This product contains a maximum of 15 g/l VOC.

Seveso Directive

This product is not controlled under the Seveso Directive.

15.2 Chemical safety

: No Chemical Safety Assessment has been carried out.

assessment

SECTION 16: Other information

Indicates information that has changed from previously issued version.

Abbreviations and acronyms

ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement PNEC = Predicted No Effect Concentration RRN = REACH Registration Number PBT = Persistent, Bioaccumulative and Toxic vPvB = Very Persistent and Very Bioaccumulative ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway IMDG = International Maritime Dangerous Goods IATA = International Air Transport Association

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Not classified.	

Full text of abbreviated H statements

Not applicable.

Full text of classifications [CLP/GHS]

Not applicable.

<u>History</u>	
Date of issue/ Date of revision	: 6 May 2021
Date of previous issue	: 4 May 2021
Prepared by	: EHS
Version	: 3.14

<u>Disclaimer</u>

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by us, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.